	uct Identification :				2	
Common / Trac	le name	J74 Conc.Deodo		TDG	Class 3	
WHMISB3, D2BCode1250Material usesIndustrial applications:		B3, D2B	B3, D2B		UN1268 PETROLEUM DISTILLATES, N.O.S. III	
			PG			
		ations: Perfumery.				
Section II. Haza	ardous Ingredient	5				
Name Petroleum distill	CAS # lates 64741-65-	% by weight T 7 30-60 N	LV/PEL LC50 / fot available. Not av			
Eye contact Skin contact Inhalation	Gently and thoroug Not applicable.	•	inated skin with rur	ning water and non-abr	elids open. If irritation persists, ge asive soap.	et medical attention.
Section IV. Phy			Liquid		Colour	Amber.
Physical state a pH (1% soln/wa			Liquid.	olicable.	Odour	
pH (1% soll/wa pH (concentrate			Not apj	blicable.	Volatility	Cherry. Not available.
Boiling point	e)		150°C	(302°F)	Volatility Vapour density	5 (Air = 1)
Specific gravity	r			(302 P) Vater = 1)	Vapour pressure	Not available.
Solubility				<i>,</i>	n-octanol. Soluble in methanol. I	
Section V. Fire	and Explosion Da	ta				
The product is	-	Combustible				
Auto-ignition te	emperature	Not available.				
Flash pointsClosed cup: 43°C (109.4			109.4°F).			
Degradation products Carbon oxides (Carbon oxides (CO), CO2)			
Extinguising m	edia	Use DRY chemical	ls, CO2, water spray	or foam.		
Section VI. Rea	•					
Stability	-	ct is stable.				
Decomp. produ		gradation products.		. 11 11		
Reactivity	Incompat	ible with reducing ag	gents, acids, oxidizir	ig agents, alkalis.		
	xicological proper					
Route of entry Ingestion. Eye contact. Skin contact. Toxicity for See section II						
animals	See section II					
Acute effects						
Chronic effects						
Section VIII D	reventive measure					
Waste disposal		ssible. Consult your l	local or regional aut	horities.		
Storage		cool and well ventil				
Dresoutions		m heat Keen away				

Keep away from heat. Keep away from sources of ignition. Avoid contact with eyes. DO NOT ingest.

Precautions

Section IX. Personal protective equipment				
Gloves	Not applicable.			
Respiratory	Not applicable.			
Eyes	Safety glasses.			
Other	Full suit, apron, face shield and boots: are recommended under exceptional circumstances such as fire, spill or for prolonged contact with bulk quantities.			
Eng. controls	Ensure that eyewash stations and safety showers are proximal to the work-station location.			

Section X. Preparation and other Information

Validated by the Regulatory Affairs Department on 21 July 2005

CANUTEC : (613) 996-6666

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsability of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Annex A. Legend

HMIS	Hazardous Materials Identification System		
WHMIS	WHMIS Workplace Hazardous Materials Information System		
TDG	Transport Dangerous Goods		
PIN	Product Identification Number		
PG	Packaging Group		

Printed 26 July 2005