# QUALITY CHEMICAL MFG DIV OF THE CHEMICAL MFG 215, DOLOMITE DRIVE DOWNSVIEW ON M3J 2N1

Section I. Product Identification and Uses

HMIS (HFRP)

**Health Hazard** Fire Hazard 0 Reactivity Personal Protection a

Common / Trade name QD STEAM CARPET DEFOAMER **TDG** Not controlled under TDG (Canada). PIN

Not, controlled, under, WHMIS, (Canada).

PG None

None

1388 Code

Material uses Industrial applications: Antifoaming agent.

Section II. Hazardous Ingredients

WHMIS

% by weight Name CAS# TLV/PEL LC50/LD50

Section III. First Aid Measures

Eye contact Flush eyes with running water, keeping eyelids open. If irritation persists, get medical attention.

Skin contact Rinse with plenty of running water.

Inhalation Not applicable.

Ingestion DO NOT induce vomiting. Have conscious person drink several glasses of water. Seek medical attention.

Section IV. Physical Data

Physical state and apperance Liquid. (Opaque.) Colour White. Neutral. Odourless pH (1% soln/water) Odour pH (concentrate) 5.0 - 6.7 Volatility Not available.

100°C (212°F) Vapour density **Boiling point** The highest known value is 1 (Air = 1) (Water).

Specific gravity 0.995 to 1.005 (Water = 1) Vapour pressure The highest known value is 2.3 kPa (17.2 mm Hg) (at 20°C) (Water).

Solubility Soluble in cold water, hot water.

Section V. Fire and Explosion Data

Non-flammable. The product is **Auto-ignition temperature** Not applicable. Flash points Not applicable. **Degradation products** Not applicable.

Extinguising media Use dry chemical or CO2.

Section VI. Reactivity data

Stability The product is stable. Decomp. products See fire degradation products. Reactivity Incompatible with oxidizing agents.

Section VII. Toxicological properties

Route of entry Ingestion. Eye contact.

**Toxicity for animals** LD50: Not available. LC50: Not available.

Acute effects Irritating to eyes. If ingested might cause disconfort, diarrhea, nausea. Chronic effects There is no known effect from chronic exposure to this product.

Section VIII. Preventive measure

Waste Dispose of material according to regional, provincial and federal regulations. Consult your local or regional authorities.

disposal

Storage Store in a dry, cool and well ventilated area.

Precautions Keep from freezing. Keep out of reach of children.

Spill and Dilute with water and mop up, or absorb with an inert DRY material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of in accordance with federal, provincial and local regulations. leak

### Section IX. Personal protective equipment

Gloves Not applicable.
Respiratory Not applicable.
Eyes Safety glasses.

Other Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Eng. controls No special ventilation requirements.

## Section X. Preparation and other Information

Validated by the Regulatory Affairs Department on 23 aug. 2004

Printed 23 aug. 2004

#### CANUTEC: (613) 996-6666

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsability of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

#### Annex A. Legend

HMIS Hazardous Materials Identification System

WHMIS Workplace Hazardous Materials Information System

TDG Transport Dangerous Goods
PIN Product Identification Number

PG Packaging Group